

POSIGRIP
Las Vegas NV
877-790-7768

MATERIAL SAFETY DATA

POSI GRIP # 1

EMERGENCY NUMBERS

CHEM-TEL

1-800-255-3924 CONTINENTAL USA

1-819-248-0585 INTERNATIONAL

DATE OF ISSUE: 05-29-08

SUPERSEDES: 07-23-03

HMIS RATING

HEALTH: 1

FIRE: 2

REACTIVITY: 0

SPECIFIC HAZARD: ALKALINE

IDENTIFICATION:

PRODUCT NAME: POSI GRIP # 1

SYNONYMS: DISODIUM TRIOXOSILICATE

PRODUCT TYPE: ALKALINE CLEANING SOLUTION

| HAZARDOUS INGREDIENTS: % | TLV /TWA | STEL |
|--------------------------|----------|--------|
| SODIUM METASILICATE | <5 | 2mg/M3 |
| CAS # 6834-92-0 | | |

OTHER INGREDIENTS IN THIS PRODUCT ARE EITHER (1) LESS THAN 1% BY WEIGHT (0.1% FOR CARCINOGENS), (2) NOT HAZARDOUS AND/OR (3) DECLARED TO BE A TRADE SECRET. THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATIONS STANDARD (29 CFR 1910.1200). IN ADDITION, OTHER SUBSTANCES NOT " HAZARDOUS " PER THIS OSHA STANDARD MAY BE LISTED. WHERE PROPRIETARY INGREDIENT SHOWS THE IDENTITY MAY BE MADE AVAILABLE, AS PROVIDED IN THIS STANDARD. THIS PRODUCT DOES NOT CONTAIN 1% OR GREATER OF HAZARDOUS INGREDIENTS LISTED IN SUBPART D OF SARA TITLE III, SECTION 313 (40 CFR 355.40).

PHYSICAL DATA:

APPEARANCE AND ODOR: CLEAR LIQUID, WITH A CHARACTERISTIC ODOR

SOLUBILITY IN WATER: COMPLETE

FLASH POINT: 96C

VAPOR DENSITY: GREATER THAN AIR

VAPOR PRESSURE: NOT DETERMINED

SPECIFIC GRAVITY (WATER=1): 1.05 PH: 11.2

VOCS: 0.2%

FIRE AND EXPLOSION DATA:

SPECIAL FIRE HAZARDS: THERE ARE NO KNOWN FIRE HAZARDS FOR THIS PRODUCT

FIRE FIGHTING METHODS: IT IS BEST TO USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, AND WATER FOG. DO NOT ENTER CONFINED FIRE SPACES WITHOUT PROTECTIVE CLOTHING AND AS.C.B.A. (SELF CONTAINED BREATHING APPRATUS).

REACTIVITY DATA:

STABILITY: AVOID EXCESSIVE HEAT OR DIRECT SUNLIGHT

INCOMPATIBILITY: STRONG MINERAL, ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SPILL OR LEAK PROCEDURES:

CLEAN UP: SMALL SPILLS – ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT.
LARGE SPILLS: ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT THEN SHOVEL INTO CONTAINERS. LARGE SPILLS SHOULD BE ADDED TO A LARGE TANK OF WATER AND NETRALISED BEFORE DISPOSAL.
WASTE DISPOSAL: DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

EYES: CAN CAUSE SEVERE DAMAGE, IRRITATION REDNESS, TEARING AND BLURRED VISION.

SKIN: REPEATED OR PROLONGED CONTACT MAY CAUSE MODERATE IRRITATION, DEFATTING AND DERMATITIS.

INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION.

INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION NAUSEA, VOMITING, AND DIARRHEA.

FIRST AID:

EYES: FLUSH WITH RUNNING WATER FOR AT LEASTE 15 (FIFTEEN) MINUTES LIFTING UPPER AND LOWER EYELIDS OCCASIONALY.

SKIN: FLUSH WITH RUNNING WATER FOR AT LEASTE 15 (FIFTEEN) MINUTES REMOVE CONTAMINATED CLOTHING AND LAUNDER WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

INGESTION: GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIUS PERSON. IF VOMITING OCCURS KEEP HEAD BELOW HIPS TO PREVENTASPIRATION. GET MEDICAL ATTENTION AT ONCE.

INHALATION: REMOVE AFFECTED INDIVIDUAL TO FRESH AIR. TREAT SYMPTOMATICALLY.

**** IF IRRITATION PERSISTS, CALL A PHYSICIAN ****

SPECIAL PROTECTION INFORMATION:

VENTILATION: MUST HAVE ADEQUATE VENTILATION WHEN WORKING IN CONFINED AREAS.

RESPIRATORY: IF MIST IS PRESENT USE APPROVED RESPIRATOR.

SKIN: CHEMICAL RESISTANT RUBBER GLOVES (NITRILE). FULL SAFETY SUIT IS RECOMMENDED BASED ON APPLICATION PROCEDURES.

EYES: PROTECTIVE GLASSES/SAFETY SHIELDS ARE REQUIRED

TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: CORROSIVE LIQUID, N.O.S (DISODIUM TRIOXOSILICATE)

HAZARD CLASS: 8

UN #: UN1760

PACKING GROUP: III

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

POSIGRIP
Las Vegas NV
877-790-7768

MATERIAL SAFETY DATA

POSI GRIP # 2

EMERGENCY NUMBERS

CHEM-TEL

1-800-255-3924 CONTINENTAL USA

1-819-248-0585 INTERNATIONAL

DATE OF ISSUE: 05-29-08

SUPERSEDES: 07-23-03

HMIS RATING

HEALTH: 3

FIRE: 0

REACTIVITY: 2

SPECIFIC HAZARD: CORROSIVE

IDENTIFICATION:

PRODUCT NAME: POSI GRIP # 2

PRODUCT TYPE: TREADING ACTIVATOR

HAZARDOUS INGREDIENTS: %

HYDROCHLORIC ACID

TLV /TWA

<25

STEL

5-7mg/M3

CAS # 7647-01-0

HYDROFLUORIC ACID

<10

2.5-5mg/M3

CAS # 7664-39-3

OXALIC ACID

<5

1mg/M3

CAS # 6153-56-6

AMMONIUM BIFLORIDE

<5

2-5mg/M3

CAS # 1341-49-7

OTHER INGREDIENTS IN THIS PRODUCT ARE EITHER (1) LESS THAN 1% BY WEIGHT (0.1% FOR CARCINOGENS). (2) NOT HAZARDOUS AND/OR (3) DECLARED TO BE A TRADE SECRET. THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATIONS STANDARD (29 CFR 1910.1200). IN ADDITION, OTHER SUBSTANCES NOT "HAZARDOUS" PER THIS OSHA STANDARD MAY BE LISTED. WHERE PROPRIETARY INGREDIENT SHOWS THE IDENTITY MAY BE MADE AVAILABLE, AS PROVIDED IN THIS STANDARD.

PHYSICAL DATA:

APPEARANCE AND ODOR: CLEAR LIQUID WITH AN ACID ODOR

SOLUBILITY IN WATER: COMPLETE

FLASH POINT: NONE

VAPOR DENSITY: GREATER THAN AIR

VAPOR PRESSURE: N/A

SPECIFIC GRAVITY: 1.01

PH: 11.0

VOCS: 0.05%

FIRE AND EXPLOSION DATA:

SPECIAL FIRE HAZARDS: THERE ARE NO KNOWN SPECIAL HAZARDS FOR THIS PRODUCT.

FIRE FIGHTING METHODS: IT IS BEST TO USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, AND WATER FOG. DO NOT ENTER CONFINED FIRE SPACES WITHOUT PROTECTIVE CLOTHING AND A.S.C.B.A. (SELF CONTAINED BREATHING APPRATUS).

REACTIVITY DATA:

STABILITY: AVOID EXCESSIVE HEAT OR DIRECT SUNLIGHT

INCOMPATIBILITY: STRONG ALKAKIS, AND ALKALI METAL

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROGEN CHLORIDE GAS HYDROGEN FLUORIDE GAS. HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SPILL OR LEAK PROCEDURES:

CLEAN UP: SMALL SPILLS COVER THE CONTAMINATED AREA WITH SODIUM BICARBONATE OR A SODA ASH/SLAKED LIME MIXTURE (50-50). MIX AND ADD WATER IF NECESSARY, SLURRY. SCOOP UP SLURRY AND WASH SITE WITH SODA ASH SOLUTION.

LARGE SPILLS: NOT WEARING PROTECTIVE CLOTHING SHOULD BE RESTRICTED FROM AREA OF SPILL UNTIL CLEAN UP IS COMPLETE. STOP SPILL AT SOURCE DIKE TO PREVENT SPREAD, PUMP TO SALVAGE TANK. THEN TREAT AREA AS IN CASE OF SMALL SPILL.

DISPOSAL METHOD: DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

EYES: CAN CAUSE CONJUNCTIVITIS, CORNEAL NECROSIS, IRRITATION, REDNESS, TEARING AND BLURRED VISION.

SKIN: REPEATED OR PROLONGED CONTACT CAN CAUSE MODERATE IRRITATION, DERMATITIS.

INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION, LARYNGITIS, BRONCHITIS, PNEUMONIA, HEADACHE, AND PALPITATION.

INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION NAUSEA, VOMITING, AND DIARRHEA.

FIRST AID:

EYES: FLUSH WITH WATER FOR 15 (FIFTEEN) MINUTES LIFTING UPPER AND LOWER EYELIDS OCCASIONALLY.

SKIN: FLUSH WITH SOAP AND WATER FOR 15 (FIFTEEN) MINUTES REMOVE CONTAMINATED CLOTHING AND LAUNDER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

INHALATION: REMOVE AFFECTED PERSON TO FRESH AIR. TREAT SYMPTOMATICALLY.

INGESTION: GET MEDICAL ATTENTION. GASTRIC LAVAGE WITH 5% SODIUM BICARBONATE SOLUTION, FOLLOWED BY ALUMINUM HYDROXIDE GEL. CARE MUST BE EXERCISED BECAUSE OF FORMATION OF GAS.

*****GET MEDICAL ATTENTION IF ANY IRRITATION PERSISTS*****

SPECIAL PROTECTION INFORMATION:

VENTILATION: MUST HAVE ADEQUATE VENTILATION WHEN WORKING IN CONFINED AREAS.

RESPIRATORY: IF MIST IS PRESENT USE APPROVED RESPIRATOR.

SKIN: CHEMICAL RESISTANT RUBBER GLOVES (NITRILE). FULL SAFETY SUIT IS RECOMMENDED BASED ON APPLICATION PROCEDURES.

EYES: PROTECTIVE GLASSES/SAFETY SHIELDS ARE REQUIRED

TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: CORROSIVE LIQUID, N.O.S.
(HYDROFLUORIC ACID, HYDROCHLORIC ACID)

HAZARD CLASS: 8

UN #: UN1760

PACKING GROUP: II

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

POSIGRIP
Las Vegas NV
877-790-7768

MATERIAL SAFETY DATA

POSI GRIP # 3

EMERGENCY NUMBERS

CHEM-TEL

1-800-255-3924 CONTINENTAL USA

1-819-2480585 INTERNATIONAL

DATE OF ISSUE: 05-29-08

SUPERSEDES: 07-23-03

HMIS RATING

HEALTH: 3

FIRE: 0

REACTIVITY: 2

SPECIFIC HAZARD: ALKALINE

IDENTIFICATION:

PRODUCT NAME: POSI GRIP # 3

PRODUCT TYPE: ALKALINE DETERGENT NEUTRALIZER

HAZARDOUS INGREDIENTS:

| | % | TLV /TWA | STEL |
|---------------------|-----|----------|------|
| POTASSIUM HYDROXIDE | <10 | 2mg/M3 | |
| CAS # 1310-58-3 | | | |
| SODIUM METASILICATE | <10 | 2mg/M3 | |
| CAS # 6834-92-0 | | | |

OTHER INGREDIENTS IN THIS PRODUCT ARE EITHER (1) LESS THAN 1% BY WEIGHT (0.1% FOR CARCINOGENS), (2) NOT HAZARDOUS AND/OR (3) DECLARED TO BE A TRADE SECRET. THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATIONS STANDARD (29 CFR 1910.1200). IN ADDITION, OTHER SUBSTANCES NOT "HAZARDOUS" PER THIS OSHA STANDARD MAY BE LISTED. WHERE PROPRIETARY INGREDIENT SHOWS THE IDENTITY MAY BE MADE AVAILABLE, AS PROVIDED IN THIS STANDARD. THIS PRODUCT DOES NOT CONTAIN 1% OR GREATER OF HAZARDOUS INGREDIENTS LISTED IN SUBPART D OF SARA TITLE III, SECTION 313 (40 CFR 355.40).

PHYSICAL DATA:

APPEARANCE AND ODOR: CLEAR LIQUID WITH CHARACTERISTIC ODOR

SOLUBILITY IN WATER: COMPLETE FLASH POINT: 95C

VAPOR DENSITY: GREATER THAN AIR VAPOR PRESSURE: NOT DETERMINED

SPECIFIC GRAVITY: 1.03 PH: 11.8

VOCS: 0.1%

FIRE AND EXPLOSION DATA:

SPECIAL FIRE HAZARDS: THERE ARE NO KNOWN FIRE HAZARDS FOR THIS PRODUCT

FIRE FIGHTING METHODS: IT IS BEST TO USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, AND WATER FOG. DO NOT ENTER CONFINED FIRE SPACES WITHOUT PROTECTIVE CLOTHING AND A.S.C.B.A. (SELF CONTAINED BREATHING APPRATUS).

REACTIVITY DATA:

STABILITY: AVOID EXCESSIVE HEAT OR DIRECT SUNLIGHT

INCOMPATIBILITY: STRONG MINERAL, ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SPILL OR LEAK PROCEDURES:

CLEAN UP: SMALL SPILLS – ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT.
LARGE SPILLS: ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT THEN SHOVEL INTO APPROVED CONTAINERS. LARGE SPILLS MAY NEED TO BE DILUTED WITH WATER PRIOR TO DISPOSAL.
DISPOSAL: DISPOSE OF IN ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

EYES: CAN CAUSE SEVERE DAMAGE, IRRITATION REDNESS, TEARING AND BLURRED VISION.
SKIN: REPEATED OR PROLONGED CONTACT MAY CAUSE MODERATE IRRITATION, DEFATTING AND DERMATITIS.

INHALATION: EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION NAUSEA, VOMITING, AND DIARRHEA DYSPNEA, CYANOSIS, THIRST, MUSCULAR WEAKNESS, COLLAPSE, PARESIS, UNCONSCIOUSNESS, ALBUMINURIA.

FIRST AID:

EYES: FLUSH WITH RUNNING WATER FOR 15 (FIFTEEN) MINUTES LIFTING UPPER AND LOWER EYELIDS OCCASIONALLY.

SKIN: FLUSH WITH RUNNING WATER FOR 15 (FIFTEEN) MINUTES REMOVE CONTAMINATED CLOTHING AND LAUNDRER.

INHALATION: REMOVE AFFECTED PERSON TO FRESH AIR. TREAT SYMPTOMATICALLY.

INGESTION: GET MEDICAL ATTENTION AT ONCE. GASTRIC LAVAGE, FOLLOWED BY SALINE CATHARSIS. HEMODIALYSIS HAS BEEN USED.

**** IF ANY IRRITATION PERSISTS, GET MEDICAL ATTENTION ****

SPECIAL PROTECTION INFORMATION:

VENTILATION: MUST HAVE ADEQUATE VENTILATION WHEN USING IN CONFINED AREAS.

RESPIRATORY: IF MIST IS PRESENT USE APPROVED RESPIRATOR.

SKIN: CHEMICAL RESISTANT RUBBER GLOVES (NITRILE). FULL SAFETY SUIT IS RECOMMENDED BASED ON APPLICATION PROCEDURES.

EYES: PROTECTIVE GLASSES/SAFETY SHIELDS ARE REQUIRED

TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, DISODIUM TRIOXOSILICATE)

HAZARD CLASS: 8

UN #: UN1719

PACKING GROUP: II

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

POSIGRIP
Las Vegas NV
877-790-7768

MATERIAL SAFETY DATA

DEGREASE ALL
EMERGENCY NUMBERS
CHEM - TEL

1-800-255-3924 CONTINENTAL USA
1-813-248-0585 INTERNATIONAL

DATE OF ISSUE: 03-11-08 SUPERSEDES: 07-23-03

HMIS HAZARDS RATING
HEALTH: 3
FIRE: 1
REACTIVITY: 1
SPECIFIC HAZARD: ALKALI

IDENTIFICATION:

PRODUCT NAME: DEGREASE ALL
PRODUCT TYPE: ALKALINE DETERGENT CLEANER

| HAZARDOUS INGREDIENTS: | % | TLV/TWA | STEL |
|---------------------------------------|-----|----------|------|
| POTASSIUM HYDROXIDE CAS# 1310-58-3 | <10 | 2mg/M3 | |
| 2 BUTOXYETHANOL CAS# 111-76-2 | <10 | 120mg/M3 | |

PHYSICAL DATA:

APPEARANCE AND ODOR: CLEAR AQUA GREEN/BLUE LIQUID WITH MINT CHEMICAL ODOR

SOLUBILITY IN WATER: COMPLETE

PH: 14

BOILING POINT: 212F SPECIFIC GRAVITY (WATER=1): 1.10

VOCS: 6.17%

FIRE AND EXPLOSION DATA:

SPECIAL FIRE HAZARDS: NO UNUSUAL HAZARDS

FIRE FIGHTING METHODS: USE SELF CONTAINED BREATHING APPARATUS WITH FULL FACE MASK

REACTIVITY DATA:

STABILITY: STABLE

CONDITIONS TO AVOID: EXTREME TEMPERATURES, STRONG ACIDS AND OXIDIZERS, ALSO REACTS WITH METALS TO FORM FLAMMABLE GAS.

REACTIVITY DATA:

UNK: UNKNOWN AT THIS TIME TLV: THRESHOLD LIMIT VALUE

C: CEILING LIMIT STEL: SHORT TERM EXPOSURE LEVEL

SPILL OR LEAK PROCEDURES:

CLEAN UP: SMALL SPILLS-ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT.

LARGE SPILLS- ABSORB WITH CLAY OR ANY OTHER SUITABLE ABSORBENT THEN SHOVEL INTO APPROVED CONTAINERS.

DISPOSAL: DISPOSE OF IN ACCORDANCE TO LOCAL, STATE, AND FEDERAL REGULATIONS.

HEALTH HAZARD DATA:

EFFECTS OF OVEREXPOSURE:

EYES: MODERATE SEVERE IRRITATION AND POSSIBLE TISSUE DAMAGE DEPENDING ON EXPOSURE.

SKIN: PROLONGED SKIN CONTACT MAY CAUSE MODERATE IRRITATION, DERMATITIS.

INGESTION: MAY CAUSE NAUSEA, VOMITING, AND DIARRHEA.

FIRST AID:

EYES: FLUSH EYES IMMEDIATELY WITH LARGE QUANTITIES OF WATER FOR FIFTEEN(15) MINUTES. GET MEDICAL ATTENTION.

SKIN: REMOVE CONTAMINATED CLOTHING AND WASH WITH PLENTY OF WATER AND SOAP.

INGESTION: GIVE LARGE QUANTITIES OF WATER, THEN SEVERAL GLASSES OF MILK . DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

**** IF IRRITATION PERSISTS, CALL A PHYSICIAN ****

SPECIAL PROTECTION INFORMATION:

EYES: PROTECTIVE GLASSES/SAFETY SHIELDS ARE REQUIRED

SKIN: PROTECTIVE GLOVES, USE ADEQUATE VENTILATION WHEN USING IN AN ENCLOSED AREA.

* EYE WASH STATIONS OR OTHER SOURCES OF RUNNING WATER SHOULD BE AVAILABLE*

* WASH HANDS THOROUGHLY AFTER USE **

WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

****KEEP OUT OF REACH OF CHILDREN****

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: POTASSIUM HYDROXIDE SOLUTION

HAZARD CLASS: 8

UN #: UN1814

PACKING GROUP: II

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT WITH RESPECT TO THE FORMULA USED TO MANUFACTURE THE PRODUCT. AS DATA, STANDARDS, AND REGULATIONS CHANGE, AND CONDITIONS OF USE AND HANDLING ARE BEYOND OUR CONTROL, NO WARRANTY EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

POSIGRIP
Las Vegas NV
877-790-7768

MATERIAL SAFETY DATA SHEET

POSISEAL

EMERGENCY NUMBERS:

CHEM-TEL

1-800-255-3924 CONTINENTAL USA

1-813-248-0585 INTERNATIONAL

DATE OF ISSUE: 06-19-08

SUPERCEDES: 10-04-00

NFPA/HMIS HAZARDS RATING

HEALTH: 1

FIRE: 0

REACTIVITY: 0

IDENTIFICATION:

PRODUCT NAME: POSISEAL

PRODUCT TYPE: WATERPROOFING PENETRATING SEALER FOR CONCRETE AND MASONARY.

HAZARDOUS INGREDIENTS:

| | % | TLV |
|----------------------------|-----|-----|
| POTASSIUM METHYLSILICONATE | <15 | 1 |

CAS: 31795-24-1

| | | |
|---------------------|----|---|
| POTASSIUM HYDROXIDE | <5 | 1 |
|---------------------|----|---|

CAS: 1310-58-3

ALL OTHER INGREDIENTS NOT CONSIDERED HAZARDOUS BY NATURE OR CONCENTRATION.

PHYSICAL DATA:

COLOR AND ODOR: CLEAR LIQUID/SLIGHT

SOLUBILITY / WATER: 100%

BOILING POINT: 212 F FREEZING POINT: N/D

SPECIFIC GRAVITY: 1.14 PH: 13-14 @ 20C VOCS: NONE

FIRE AND EXPLOSION DATA:

A. FLASHPOINT: NON-COMBUSTIBLE

B. EXTINGUISHING MEDIA: SUITABLE FOR SURROUNDING AREA

C. SPECIAL FIRE PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS

D. UNUSUAL FIRE & EXPLOSION HAZARDS: COULD REACT WITH METALS TO GENERATE FLAMMABLE GAS

REACTIVITY DATA:

STABILITY: STABLE.

CONDITIONS TO AVOID: NONE KNOWN

INCOMPATIBILITY: STRONG MINERAL ACIDS & OXIDIZERS, REACTION CAUSES THE FORMATION OF HEAT.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.